

The Taxonomicon
APG III, 2009

Classification of
angiosperms
(plants)
down to Family

Compiled by Drs. S.J. Brands
Universal Taxonomic Services

24 Jan 2020

[Kingdom *Plantae*: Phylum *Tracheophyta*: Class *Spermatopsida* - plants]

angiosperms

- 1 Order *Amborellales* Melikyan, A.V. Bobrov & Zaytzeva (1999)
 - 1 Family *Amborellaceae* Pichon (1948), nom. cons.
- 2.1 Order *Nymphaeales* Salisb. ex Bercht. & J. Presl (1820)
 - 1 Family *Cabombaceae* Rich. ex A. Rich. (1822), nom. cons.
 - 2 Family *Hydatellaceae* U. Hamann (1976)
 - 3 Family *Nymphaeaceae* Salisb. (1805), nom. cons.
- 2.2.1 Order *Austrobaileyales* Takht. ex Reveal (1992)
 - 1 Family *Austrobaileyaceae* Croizat (1943), nom. cons.
 - 2 Family *Schisandraceae* Blume (1830), nom. cons.
 - 3 Family *Trimeniaceae* L.S. Gibbs (1917), nom. cons.
- 2.2.2.1.1 *magnoliids*
 - 1.1 Order *Piperales* Bercht. & J. Presl (1820)
 - 1 Family *Aristolochiaceae* Juss. (1789), nom. cons.
 - 2 Family *Hydnoraceae* C. Agardh (1821), nom. cons.
 - 3 Family *Lactoridaceae* Engl. (1888), nom. cons.
 - 4 Family *Piperaceae* Giseke (1792), nom. cons.
 - 5 Family *Saururaceae* F. Voigt (1811), nom. cons.
 - 1.2 Order *Canellales* Cronquist (1957)
 - 1 Family *Canellaceae* Mart. (1832), nom. cons.
 - 2 Family *Winteraceae* R. Br. ex Lindl. (1830), nom. cons.
 - 2.1 Order *Magnoliales* Juss. ex Bercht. & J. Presl (1820)
 - 1 Family *Annonaceae* Juss. (1789), nom. cons.
 - 2 Family *Degeneriaceae* I.W. Bailey & A.C. Sm. (1942), nom. cons.
 - 3 Family *Eupomatiaceae* Orb. (1845), nom. cons.
 - 4 Family *Himantandraceae* Diels (1917), nom. cons.
 - 5 Family *Magnoliaceae* Juss. (1789), nom. cons.
 - 6 Family *Myristicaceae* R. Br. (1810), nom. cons.
 - 2.2 Order *Laurales* Juss. ex Bercht. & J. Presl (1820)
 - 1 Family *Atherospermataceae* R. Br. (1814)
 - 2 Family *Calycanthaceae* Lindl. (1819), nom. cons.
 - 3 Family *Gomortegaceae* Reiche (1896), nom. cons.
 - 4 Family *Hernandiaceae* Blume (1826), nom. cons.
 - 5 Family *Lauraceae* Juss. (1789), nom. cons.
 - 6 Family *Monimiaceae* Juss. (1809), nom. cons.
 - 7 Family *Siparunaceae* Schodde (1970)
 - 2.2.2.1.2 Order *Chloranthales* R. Br. (1835)
 - 1 Family *Chloranthaceae* R. Br. ex Sims (1820), nom. cons.
- 2.2.2.2.1 *monocots*
 - 1.1.1.1.1.1 *commelinids*
 - 1.1 Order *Commelinales* Mirb. ex Bercht. & J. Presl (1820)
 - 1 Family *Commelinaceae* Mirb. (1804), nom. cons.
 - 2 Family *Haemodoraceae* R. Br. (1810), nom. cons.
 - 3 Family *Hanguanaceae* Airy Shaw (1965)
 - 4 Family *Philydraceae* Link (1821), nom. cons.
 - 5 Family *Pontederiaceae* Kunth (1816), nom. cons.
 - 1.2 Order *Zingiberales* Griseb. (1854)
 - 1 Family *Cannaceae* Juss. (1789), nom. cons.
 - 2 Family *Costaceae* Nakai (1941)
 - 3 Family *Heliconiaceae* Vines (1895)
 - 4 Family *Lowiaceae* Ridl. (1924), nom. cons.
 - 5 Family *Marantaceae* R. Br. (1814), nom. cons.
 - 6 Family *Musaceae* Juss. (1789), nom. cons.
 - 7 Family *Strelitziaceae* Hutch. (1934), nom. cons.
 - 8 Family *Zingiberaceae* Martinov (1820), nom. cons.
 - 2 Order *Poales* Small (1903)
 - 01 Family *Anarthriaceae* D.F. Cutler & Airy Shaw (1965)
 - 02 Family *Bromeliaceae* Juss. (1789), nom. cons.
 - 03 Family *Centrolepidaceae* Endl. (1836), nom. cons.
 - 04 Family *Cyperaceae* Juss. (1789), nom. cons.
 - 05 Family *Ecdeiocoleaceae* D.F. Cutler & Airy Shaw (1965)
 - 06 Family *Eriocaulaceae* Martinov (1820), nom. cons.
 - 07 Family *Flagellariaceae* Dumort. (1829), nom. cons.
 - 08 Family *Joinvilleaceae* Toml. & A.C. Sm. (1970)
 - 09 Family *Juncaceae* Juss. (1789), nom. cons.
 - 10 Family *Mayacaceae* Kunth (1842), nom. cons.
 - 11 Family *Poaceae* Barnhart (1895), nom. cons.
 - 12 Family *Rapateaceae* Dumort. (1829), nom. cons.
 - 13 Family *Restionaceae* R. Br. (1810), nom. cons.
 - 14 Family *Thurniaceae* Engl. (1907), nom. cons.
 - 15 Family *Typhaceae* Juss. (1789), nom. cons.

-
- 16 Family *Xyridaceae* C. Agardh (1823), nom. cons.
 - 3 Order *Arecales* Bromhead (1840)
 - 1 Family *Arecaceae* Bercht. & J. Presl (1820), nom. cons.
 - 4 Family *Dasypogonaceae* Dumort. (1829)
 - 1.1.1.1.1.2 Order *Asparagales* Link (1829)
 - 01 Family *Amaryllidaceae* J. St.-Hil., nom. cons.
 - 02 Family *Asparagaceae* Juss. (1789), nom. cons.
 - 03 Family *Asteliaceae* Dumort. (1829)
 - 04 Family *Blandfordiaceae* R. Dahlgren & Clifford (1985)
 - 05 Family *Boryaceae* M.W. Chase, Rudall & Conran (1997)
 - 06 Family *Doryanthaceae* R. Dahlgren & Clifford (1985)
 - 07 Family *Hypoxidaceae* R. Br. (1814), nom. cons.
 - 08 Family *Iridaceae* Juss. (1789), nom. cons.
 - 09 Family *Ixioliriaceae* Nakai (1943)
 - 10 Family *Lanariaceae* R. Dahlgren & A.E. van Wyk (1988)
 - 11 Family *Orchidaceae* Juss. (1789), nom. cons.
 - 12 Family *Tecophilaeaceae* Leyb. (1862), nom. cons.
 - 13 Family *Xanthorrhoeaceae* Dumort. (1829), nom. cons.
 - 14 Family *Xeronomataceae* M.W. Chase, Rudall & M.F. Fay (2000)
 - 1.1.1.1.2 Order *Liliales* Perleb (1826)
 - 01 Family *Alstroemeriaceae* Dumort. (1829), nom. cons.
 - 02 Family *Campynemataceae* Dumort. (1829)
 - 03 Family *Colchicaceae* DC. (1804), nom. cons.
 - 04 Family *Corsiaceae* Becc. (1878), nom. cons.
 - 05 Family *Liliaceae* Juss. (1789), nom. cons.
 - 06 Family *Melanthiaceae* Batsch ex Borkh. (1797), nom. cons.
 - 07 Family *Petermanniaceae* Hutch. (1934), nom. cons.
 - 08 Family *Philesiaceae* Dumort. (1829), nom. cons.
 - 09 Family *Ripogonaceae* Conran & Clifford (1985)
 - 10 Family *Smilacaceae* Vent. (1799), nom. cons.
 - 1.1.1.2.1 Order *Pandanales* R. Br. ex Bercht. & J. Presl (1820)
 - 1 Family *Cyclanthaceae* Poit. ex A. Rich. (1824), nom. cons.
 - 2 Family *Pandanaceae* R. Br. (1810), nom. cons.
 - 3 Family *Stemonaceae* Caruel (1878), nom. cons.
 - 4 Family *Triuridaceae* Gardner (1843), nom. cons.
 - 5 Family *Velloziaceae* J. Agardh (1858), nom. cons.
 - 1.1.1.2.2 Order *Dioscoreales* R. Br. (1835)
 - 1 Family *Burmanniaceae* Blume (1827), nom. cons.
 - 2 Family *Dioscoreaceae* R. Br. (1810), nom. cons.
 - 3 Family *Nartheciaceae* Fr. ex Bjurzon (1846)
 - 1.1.2 Order *Petrosaviales* Takht. (1997)
 - 1 Family *Petrosaviaceae* Hutch. (1934), nom. cons.
 - 1.2 Order *Alismatales* R. Br. ex Bercht. & J. Presl (1820)
 - 01 Family *Alismataceae* Vent. (1799), nom. cons.
 - 02 Family *Aponogetonaceae* Planch. (1856), nom. cons.
 - 03 Family *Araceae* Juss. (1789), nom. cons.
 - 04 Family *Butomaceae* Mirb. (1804), nom. cons.
 - 05 Family *Cymodoceaceae* Vines (1895), nom. cons.
 - 06 Family *Hydrocharitaceae* Juss. (1789), nom. cons.
 - 07 Family *Juncaginaceae* Rich. (1808), nom. cons.
 - 08 Family *Posidoniaceae* Vines (1895), nom. cons.
 - 09 Family *Potamogetonaceae* Bercht. & J. Presl (1823), nom. cons.
 - 10 Family *Ruppiaceae* Horan. (1834), nom. cons.
 - 11 Family *Scheuchzeriaceae* F. Rudolphi (1830), nom. cons.
 - 12 Family *Tofieldiaceae* Takht. (1995)
 - 13 Family *Zosteraceae* Dumort. (1829), nom. cons.
 - 2 Order *Acorales* Link (1835)
 - 1 Family *Acoraceae* Martinov (1820)
 - 2.2.2.2.2.1 Order *Ceratophyllales* Link (1829)
 - 1 Family *Ceratophyllaceae* Gray (1822), nom. cons.
 - 2.2.2.2.2 *eudicots*
 - 1 Order *Ranunculales* Juss. ex Bercht. & J. Presl (1820)
 - 1 Family *Berberidaceae* Juss. (1789), nom. cons.
 - 2 Family *Circaeasteraceae* Hutch. (1926), nom. cons.
 - 3 Family *Eupteleaceae* K. Wilh. (1910), nom. cons.
 - 4 Family *Lardizabalaceae* R. Br. (1821), nom. cons.
 - 5 Family *Menispermaceae* Juss. (1789), nom. cons.
 - 6 Family *Papaveraceae* Juss. (1789), nom. cons.
 - 7 Family *Ranunculaceae* Juss. (1789), nom. cons.
 - 2.1 Family *Sabiaceae* Blume (1851), nom. cons.
 - 2.2 Order *Proteales* Juss. ex Bercht. & J. Presl (1820)
 - 1 Family *Nelumbonaceae* A. Rich. (1827), nom. cons.
-

-
- 2 Family *Platanaceae* T. Lestib. (1826), nom. cons.
 - 3 Family *Proteaceae* Juss. (1789), nom. cons.
 - 2.3.1 Order *Buxales* Takht. ex Reveal (1996)
 - 1 Family *Buxaceae* Dumort. (1822), nom. cons.
 - 2 Family *Haptanthaceae* C. Nelson (2002)
 - 2.3.2 Order *Trochodendrales* Takht. ex Cronquist (1981)
 - 1 Family *Trochodendraceae* Eichler (1865), nom. cons.
 - 2.3.3 *core eudicots*
 - 1 Order *Gunnerales* Takht. ex Reveal (1992)
 - 1 Family *Gunneraceae* Meisn. (1842), nom. cons.
 - 2 Family *Myrothamnaceae* Nied. (1891), nom. cons.
 - 2.1.1 *rosids*
 - 1.1 *fabids*
 - 1.1.1.1.1 Order *Cucurbitales* Juss. ex Bercht. & J. Presl (1820)
 - 1 Family *Anisophylleaceae* Ridl. (1922)
 - 2 Family *Begoniaceae* C. Agardh (1824), nom. cons.
 - 3 Family *Coriariaceae* DC. (1824), nom. cons.
 - 4 Family *Corynocarpaceae* Engl. (1897), nom. cons.
 - 5 Family *Cucurbitaceae* Juss. (1789), nom. cons.
 - 6 Family *Datisceae* Dumort. (1829), nom. cons.
 - 7 Family *Tetramelaceae* Airy Shaw (1965)
 - 1.1.1.1.2 Order *Fagales* Engl. (1892)
 - 1 Family *Betulaceae* Gray (1822), nom. cons.
 - 2 Family *Casuarinaceae* R. Br. (1814), nom. cons.
 - 3 Family *Fagaceae* Dumort. (1829), nom. cons.
 - 4 Family *Juglandaceae* DC. ex Perleb (1818), nom. cons.
 - 5 Family *Myricaceae* A. Rich. ex Kunth (1817), nom. cons.
 - 6 Family *Nothofagaceae* Kuprian (1962)
 - 7 Family *Ticodendraceae* Gómez-Laur. & L.D. Gómez (1991)
 - 1.1.1.1.2 Order *Rosales* Bercht. & J. Presl (1820)
 - 1 Family *Barbeyaceae* Rendle (1916), nom. cons.
 - 2 Family *Cannabaceae* Martinov (1820), nom. cons.
 - 3 Family *Dirachmaceae* Hutch. (1959)
 - 4 Family *Elaeagnaceae* Juss. (1789), nom. cons.
 - 5 Family *Moraceae* Gaudich. (1835), nom. cons.
 - 6 Family *Rhamnaceae* Juss. (1789), nom. cons.
 - 7 Family *Rosaceae* Juss. (1789), nom. cons.
 - 8 Family *Ulmaceae* Mirb. (1815), nom. cons.
 - 9 Family *Urticaceae* Juss. (1789), nom. cons.
 - 1.1.1.2 Order *Fabales* Bromhead (1838)
 - 1 Family *Fabaceae* Lindl. (1836), nom. cons.
 - 2 Family *Polygalaceae* Hoffmanns. & Link (1809), nom. cons.
 - 3 Family *Quillajaceae* D. Don (1831)
 - 4 Family *Surianaceae* Arn. (1834), nom. cons.
 - 1.2.1 Order *Celastrales* Link (1829)
 - 1 Family *Celastraceae* R. Br. (1814), nom. cons.
 - 2 Family *Lepidobotryaceae* J. Léonard (1950), nom. cons.
 - 1.2.2.1 Order *Oxalidales* Bercht. & J. Presl (1820)
 - 1 Family *Brunelliaceae* Engl. (1897), nom. cons.
 - 2 Family *Cephalotaceae* Dumort. (1829), nom. cons.
 - 3 Family *Connaraceae* R. Br. (1818), nom. cons.
 - 4 Family *Cunoniaceae* R. Br. (1814), nom. cons.
 - 5 Family *Elaeocarpaceae* Juss. ex DC. (1816), nom. cons.
 - 6 ?Family *Huaceae* A. Chev. (1947)
 - 7 Family *Oxalidaceae* R. Br. (1818), nom. cons.
 - 1.2.2.2 Order *Malpighiales* Juss. ex Bercht. & J. Presl (1820)
 - 01 Family *Achariaceae* Harms (1897), nom. cons.
 - 02 Family *Balanopaceae* Benth. & Hook. f. (1880), nom. cons.
 - 03 Family *Bonnetiaceae* L. Beauvis. ex Nakai (1948)
 - 04 Family *Calophyllaceae* J. Agardh
 - 05 Family *Caryocaraceae* Voigt (1845), nom. cons.
 - 06 Family *Centroplacaceae* Doweld & Reveal (2005)
 - 07 Family *Chrysobalanaceae* R. Br. (1818), nom. cons.
 - 08 Family *Clusiaceae* Lindl. (1836), nom. cons.
 - 09 Family *Ctenolophonaceae* Exell & Mendonça (1951)
 - 10 Family *Dichapetalaceae* Baill. (1886), nom. cons.
 - 11 Family *Elatinaceae* Dumort. (1829), nom. cons.
 - 12 Family *Erythroxylaceae* Kunth (1822), nom. cons.
 - 13 Family *Euphorbiaceae* Juss. (1789), nom. cons.
 - 14 Family *Euphroniaceae* Marc.-Berti (1989)
 - 15 Family *Goupiaceae* Miers (1862)
 - 16 Family *Humiriaceae* A. Juss. (1829), nom. cons.

-
- 17 Family *Hypericaceae* Juss. (1789), nom. cons.
 - 18 Family *Iringiaceae* Exell & Mendonça (1951), nom. cons.
 - 19 Family *Ixonanthaceae* Planch. ex Miq. (1858), nom. cons.
 - 20 Family *Lacistemataceae* Mart. (1826), nom. cons.
 - 21 Family *Linaceae* DC. ex Perleb (1818), nom. cons.
 - 22 Family *Lophopyxidaceae* H. Pfeiff. (1951)
 - 23 Family *Malpighiaceae* Juss. (1789), nom. cons.
 - 24 Family *Ochnaceae* DC. (1811), nom. cons.
 - 25 Family *Pandaceae* Engl. & Gilg (1912-1913), nom. cons.
 - 26 Family *Passifloraceae* Juss. ex Roussel (1806), nom. cons.
 - 27 Family *Phyllanthaceae* Martinov (1820), nom. cons.
 - 28 Family *Picrodendraceae* Small (1917), nom. cons.
 - 29 Family *Podostemaceae* Rich. ex Kunth (1816), nom. cons.
 - 30 Family *Putranjivaceae* Meisn. (1842)
 - 31 Family *Rafflesiaceae* Dumort. (1829), nom. cons.
 - 32 Family *Rhizophoraceae* Pers. (1807), nom. cons.
 - 33 Family *Salicaceae* Mirb. (1815), nom. cons.
 - 34 Family *Trigoniaceae* A. Juss. (1849), nom. cons.
 - 35 Family *Violaceae* Batsch (1802), nom. cons.
 - 2 Order *Zygophyllales* Link (1829)
 - 1 Family *Krameriaceae* Dumort. (1829), nom. cons.
 - 2 Family *Zygophyllaceae* R. Br. (1814), nom. cons.
 - 1.2 *malvids*
 - 1.1.1.1.1 Order *Malvales* Juss. ex Bercht. & J. Presl (1820)
 - 01 Family *Bixaceae* Kunth (1822), nom. cons.
 - 02 Family *Cistaceae* Juss. (1789), nom. cons.
 - 03 Family *Cytinaceae* A. Rich. (1824)
 - 04 Family *Dipterocarpaceae* Blume (1825), nom. cons.
 - 05 Family *Malvaceae* Juss. (1789), nom. cons.
 - 06 Family *Muntingiaceae* C. Bayer, M.W. Chase & M.F. Fay (1998)
 - 07 Family *Neuradaceae* Kostel. (1835), nom. cons.
 - 08 Family *Sarcolaenaceae* Caruel (1881), nom. cons.
 - 09 Family *Sphaerosepalaceae* Tiegh. ex Bullock (1959)
 - 10 Family *Thymelaeaceae* Juss. (1789), nom. cons.
 - 11 ?Genus *Petenaea* Lundell
 - 1.1.1.1.2 Order *Brassicales* Bromhead (1838)
 - 01 Family *Akaniaceae* Stapf (1912), nom. cons.
 - 02 Family *Bataceae* Mart. ex Perleb (1838), nom. cons.
 - 03 Family *Brassicaceae* Burnett (1835), nom. cons.
 - 04 Family *Capparaceae* Juss. (1789), nom. cons.
 - 05 Family *Caricaceae* Dumort. (1829), nom. cons.
 - 06 Family *Cleomaceae* Bercht. & J. Presl (1825)
 - 07 Family *Emblingiaceae* J. Agardh (1958)
 - 08 Family *Gyrostemonaceae* A. Juss. (1845), nom. cons.
 - 09 Family *Koeberliniaceae* Engl. (1895), nom. cons.
 - 10 Family *Limnanthaceae* R. Br. (1833), nom. cons.
 - 11 Family *Moringaceae* Martinov (1820), nom. cons.
 - 12 Family *Pentadiplandraceae* Hutch. & Dalziel (1928)
 - 13 Family *Resedaceae* Martinov (1820), nom. cons.
 - 14 Family *Salvadoraceae* Lindl. (1836), nom. cons.
 - 15 Family *Setchellanthaceae* Iltis (1999)
 - 16 Family *Tovariaceae* Pax (1891), nom. cons.
 - 17 Family *Tropaeolaceae* Juss. ex DC. (1824), nom. cons.
 - 1.1.1.1.2 Order *Huerteales* Doweld (2001)
 - 1 Family *Dipentodontaceae* Merr. (1941), nom. cons.
 - 2 Family *Gerrardinaceae* Alford (2006)
 - 3 Family *Tapisciaceae* Takht. (1987)
 - 1.1.1.2 Order *Sapindales* Juss. ex Bercht. & J. Presl (1820)
 - 1 Family *Anacardiaceae* R. Br. (1818), nom. cons.
 - 2 Family *Biebersteiniaceae* Schnizl. (1856)
 - 3 Family *Burseraceae* Kunth (1824), nom. cons.
 - 4 Family *Kirkiaceae* Takht. (1967)
 - 5 Family *Meliaceae* Juss. (1789), nom. cons.
 - 6 Family *Nitrariaceae* Lindl. (1835), nom. cons.
 - 7 Family *Rutaceae* Juss. (1789), nom. cons.
 - 8 Family *Sapindaceae* Juss. (1789), nom. cons.
 - 9 Family *Simaroubaceae* DC. (1811), nom. cons.
 - 1.1.2 Order *Picramniales* Doweld (2001)
 - 1 Family *Picramniaceae* Fernando & Quinn (1995)
 - 1.2 Order *Crossosomatales* Takht. ex Reveal (1993)
 - 1 Family *Aphloiaceae* Takht. (1985)
 - 2 Family *Crossosomataceae* Engl. (1897), nom. cons.
-

-
- 3 Family *Geissolomataceae* A. DC. (1856)
 - 4 Family *Guamatelaceae* S. Oh & D. Potter (2006)
 - 5 Family *Stachyuraceae* J. Agardh (1858), nom. cons.
 - 6 Family *Staphyleaceae* Martinov (1820), nom. cons.
 - 7 Family *Strasburgeriaceae* Soler. (1908), nom. cons.
 - 2.1 Order *Myrtales* Juss. ex Bercht. & J. Presl (1820)
 - 1 Family *Alzateaceae* S.A. Graham (1985)
 - 2 Family *Combretaceae* R. Br. (1810), nom. cons.
 - 3 Family *Crypteroniaceae* A. DC. (1868), nom. cons.
 - 4 Family *Lythraceae* J. St.-Hil. (1805), nom. cons.
 - 5 Family *Melastomataceae* Juss. (1789), nom. cons.
 - 6 Family *Myrtaceae* Juss. (1789), nom. cons.
 - 7 Family *Onagraceae* Juss. (1789), nom. cons.
 - 8 Family *Penaecaceae* Sweet ex Guill. (1828), nom. cons.
 - 9 Family *Vochysiaceae* A. St.-Hil. (1820), nom. cons.
 - 2.2 Order *Geraniales* Juss. ex Bercht. & J. Presl (1820)
 - 1 Family *Geraniaceae* Juss. (1789), nom. cons.
 - 2 Family *Melianthaceae* Horan. (1834), nom. cons.
 - 3 Family *Vivianiaceae* Klotzsch, nom. cons. prop.
 - 2 Order *Vitales* Juss. ex Bercht. & J. Presl (1820)
 - 1 Family *Vitaceae* Juss. (1789), nom. cons.
 - 2.1.2 Order *Saxifragales* Bercht. & J. Presl (1820)
 - 01 Family *Altingiaceae* Horan. (1841), nom. cons.
 - 02 Family *Aphanopetalaceae* Doweld (2001)
 - 03 Family *Cercidiphyllaceae* Engl. (1907), nom. cons.
 - 04 Family *Crassulaceae* J. St.-Hil. (1805), nom. cons.
 - 05 Family *Daphniphyllaceae* Müll.-Arg. (1869), nom. cons.
 - 06 Family *Grossulariaceae* DC. (1805), nom. cons.
 - 07 Family *Haloragaceae* R. Br. (1814), nom. cons.
 - 08 Family *Hamamelidaceae* R. Br. (1818), nom. cons.
 - 09 Family *Iteaceae* J. Agardh (1858), nom. cons.
 - 10 Family *Paeoniaceae* Raf. (1815), nom. cons.
 - 11 Family *Penthoraceae* Rydb. ex Britt. (1901), nom. cons.
 - 12 Family *Peridiscaceae* Kuhl. (1950), nom. cons.
 - 13 Family *Saxifragaceae* Juss. (1789), nom. cons.
 - 14 Family *Tetracarpaeaceae* Nakai (1943)
 - 2.2 Family *Dilleniaceae* Salisb. (1807), nom. cons.
 - 2.3.1 Order *Berberidopsidales* Doweld (2001)
 - 1 Family *Aextoxicaceae* Engl. & Gilg (1920), nom. cons.
 - 2 Family *Berberidopsidaceae* Takht. (1985)
 - 2.3.2.1 Order *Santalales* R. Br. ex Bercht. & J. Presl (1820)
 - 1 Family *Balanophoraceae* Rich. (1822), nom. cons.
 - 2 Family *Loranthaceae* Juss. (1808), nom. cons.
 - 3 Family *Misodendraceae* J. Agardh (1858), nom. cons.
 - 4 Family *Santalaceae* R. Br. (1810), nom. cons.
 - 5 Family *Olacaceae* R. Br. (1818), nom. cons.
 - 6 Family *Opiliaceae* Valetton (1886), nom. cons.
 - 7 Family *Schoepfiaceae* Blume (1850)
 - 2.3.2.2.1 Order *Caryophyllales* Juss. ex Bercht. & J. Presl (1820)
 - 01 Family *Achatocarpaceae* Heimerl (1934), nom. cons.
 - 02 Family *Aizoaceae* Martinov (1820), nom. cons.
 - 03 Family *Amaranthaceae* Juss. (1789), nom. cons.
 - 04 Family *Anacamptserotaceae* Eggli & Nyffeler (2010, in press)
 - 05 Family *Ancistrocladaceae* Planch. ex Walp. (1851), nom. cons.
 - 06 Family *Asteropeiaceae* Takht. ex Reveal & Hoogland (1990)
 - 07 Family *Barbeuiaceae* Nakai (1942)
 - 08 Family *Basellaceae* Raf. (1837), nom. cons.
 - 09 Family *Cactaceae* Juss. (1789), nom. cons.
 - 10 Family *Caryophyllaceae* Juss. (1789), nom. cons.
 - 11 Family *Didiereaceae* Radlk. (1896), nom. cons.
 - 12 Family *Dioncophyllaceae* Airy Shaw (1952), nom. cons.
 - 13 Family *Droseraceae* Salisb. (1808), nom. cons.
 - 14 Family *Drosophyllaceae* Chrtek, Slavíková & Studnicka (1989)
 - 15 Family *Frankeniaceae* Desv. (1817), nom. cons.
 - 16 Family *Gisekiaceae* Nakai (1942)
 - 17 Family *Halophytaceae* A. Soriano (1984)
 - 18 Family *Limeaceae* Shipunov ex Reveal (2005)
 - 19 Family *Lophiocarpaceae* Doweld & Reveal (2008)
 - 20 Family *Molluginaceae* Bartl. (1825), nom. cons.
 - 21 Family *Montiaceae* Raf. (1820)
 - 22 Family *Nepenthaceae* Dumort. (1829), nom. cons.
 - 23 Family *Nyctaginaceae* Juss. (1789), nom. cons.
-

-
- 24 Family *Physenaceae* Takht. (1985)
 - 25 Family *Phytolaccaceae* R. Br. (1818), nom. cons.
 - 26 Family *Plumbaginaceae* Juss. (1789), nom. cons.
 - 27 Family *Polygonaceae* Juss. (1789), nom. cons.
 - 28 Family *Portulacaceae* Juss. (1789), nom. cons.
 - 29 Family *Rhabdodendraceae* Prance (1968)
 - 30 Family *Sarcobataceae* Behnke (1997)
 - 31 Family *Simmondsiaceae* Tiegh. (1900)
 - 32 Family *Stenospermataceae* Nakai (1942)
 - 33 Family *Talinaceae* Doweld (2001)
 - 34 Family *Tamaricaceae* Link (1821), nom. cons.
 - 2.3.2.2.2 *asterids*
 - 1 Order *Cornales* Link. (1829)
 - 1 Family *Cornaceae* Bercht. & J. Presl (1825), nom. cons.
 - 2 Family *Curtisiaceae* Takht. (1987)
 - 3 Family *Grubbiaceae* Endl. ex Meisn. (1841), nom. cons.
 - 4 Family *Hydrangeaceae* Dumort. (1829), nom. cons.
 - 5 Family *Hydrostachyaceae* Engl. (1894), nom. cons.
 - 6 Family *Loasaceae* Juss. (1804), nom. cons.
 - 2.1 Order *Ericales* Bercht. & J. Presl (1820)
 - 01 Family *Actinidiaceae* Engl. & Gilg. (1824), nom. cons.
 - 02 Family *Balsaminaceae* A. Rich. (1824), nom. cons.
 - 03 Family *Clethraceae* Klotzsch (1851), nom. cons.
 - 04 Family *Cyrillaceae* Lindl. (1846), nom. cons.
 - 05 Family *Diapensiaceae* Lindl. (1836), nom. cons.
 - 06 Family *Ebenaceae* Gürke (1891), nom. cons.
 - 07 Family *Ericaceae* Juss. (1789), nom. cons.
 - 08 Family *Fouquieriaceae* DC. (1828), nom. cons.
 - 09 Family *Lecythidaceae* A. Rich. (1825), nom. cons.
 - 10 Family *Marcgraviaceae* Bercht. & J. Presl (1820), nom. cons.
 - 11 Family *Mitrastemonaceae* Makino (1911), nom. cons.
 - 12 Family *Pentaphragmaceae* Engl. (1897), nom. cons.
 - 13 Family *Polemoniaceae* Juss. (1789), nom. cons.
 - 14 Family *Primulaceae* Batsch ex Borkh. (1797), nom. cons.
 - 15 Family *Roridulaceae* Martinov (1820), nom. cons.
 - 16 Family *Sapotaceae* Juss. (1789), nom. cons.
 - 17 Family *Sarraceniaceae* Dumort. (1829), nom. cons.
 - 18 Family *Sladeniaceae* Airy Shaw (1965)
 - 19 Family *Styracaceae* DC. & Spreng. (1821), nom. cons.
 - 20 Family *Symplocaceae* Desf. (1820), nom. cons.
 - 21 Family *Tetrameristaceae* Hutch. (1959)
 - 22 Family *Theaceae* Mirb. ex Ker Gawl. (1816), nom. cons.
 - 2.2.1 *lamiids*
 - 1 Order *Garryales* Lindl. (1835)
 - 1 Family *Eucommiaceae* Engl. (1907), nom. cons.
 - 2 Family *Garryaceae* Lindl. (1834), nom. cons.
 - 2.1 Order *Gentianales* Juss. ex Bercht. & J. Presl (1820)
 - 1 Family *Apocynaceae* Juss. (1789), nom. cons.
 - 2 Family *Gelsemiaceae* Struwe & V.A. Albert (1995)
 - 3 Family *Gentianaceae* Juss. (1789), nom. cons.
 - 4 Family *Loganiaceae* R. Br. ex Mart. (1827), nom. cons.
 - 5 Family *Rubiaceae* Juss. (1789), nom. cons.
 - 2.2.1 Order *Lamiales* Bromhead (1838)
 - 01 Family *Acanthaceae* Juss. (1789), nom. cons.
 - 02 Family *Bignoniaceae* Juss. (1789), nom. cons.
 - 03 Family *Byblidaceae* Domin (1922), nom. cons.
 - 04 Family *Calceolariaceae* Olmstead (2001)
 - 05 Family *Carlemanniaceae* Airy Shaw (1965)
 - 06 Family *Gesneriaceae* Rich. & Juss. (1816), nom. cons.
 - 07 Family *Lamiaceae* Martinov (1820), nom. cons.
 - 08 Family *Linderniaceae* Borsch, K. Müll. & Eb. Fisch. (2005)
 - 09 Family *Lentibulariaceae* Rich. (1808), nom. cons.
 - 10 Family *Martyniaceae* Horan. (1847), nom. cons.
 - 11 Family *Oleaceae* Hoffmanns. & Link (1809), nom. cons.
 - 12 Family *Orobanchaceae* Vent. (1799), nom. cons.
 - 13 Family *Paulowniaceae* Nakai (1949)
 - 14 Family *Pedaliaceae* R. Br. (1810), nom. cons.
 - 15 Family *Phrymaceae* Schauer (1847), nom. cons.
 - 16 Family *Plantaginaceae* Juss. (1789), nom. cons.
 - 17 Family *Plocospermataceae* Hutch. (1973)
 - 18 Family *Schlegeliaceae* Reveal (1996)
 - 19 Family *Scrophulariaceae* Juss. (1789), nom. cons.

APG III, 2009

- angiosperms -

-
- 20 Family *Stilbaceae* Kunth (1831), nom. cons.
 - 21 Family *Tetrachondraceae* Wettst. (1924)
 - 22 Family *Thomandersiaceae* Sreem. (1977)
 - 23 Family *Verbenaceae* J. St.-Hil. (1805), nom. cons.
 - 2.2.2 Order *Solanales* Juss. ex Bercht. & J. Presl (1820)
 - 1 Family *Convolvulaceae* Juss. (1789), nom. cons.
 - 2 Family *Hydroleaceae* R. Br. ex Edwards (1821)
 - 3 Family *Montiniaceae* Nakai (1943), nom. cons.
 - 4 Family *Solanaceae* Juss. (1789), nom. cons.
 - 5 Family *Sphenocleaceae* T. Baskerv. (1839), nom. cons.
 - 2.3 Family *Boraginaceae* Juss. (1789), nom. cons.
 - 3 Family *Vahliaceae* Dandy (1959), *incertae sedis*
 - 4 Family *Icacinaceae* Miers (1851), nom. cons., *incertae sedis*
 - 5 Family *Metteniusaceae* H. Karst. ex Schnizl. (1860-1870), *incertae sedis*
 - 6 Family *Oncothecaceae* Kobuski ex Airy Shaw (1965), *incertae sedis*
 - 2.2.2 *campanulids*
 - 1 Order *Aquifoliales* Senft (1856)
 - 1 Family *Aquifoliaceae* Bercht. & J. Presl (1820), nom. cons.
 - 2 Family *Cardiopteridaceae* Blume (1847), nom. cons.
 - 3 Family *Helwingiaceae* Decne. (1836)
 - 4 Family *Phyllonomaceae* Small (1905)
 - 5 Family *Stemonuraceae* Kårehed (2001)
 - 2.1 Order *Escalloniales* R. Br. (1835)
 - 1 Family *Escalloniaceae* R. Br. ex Dumort. (1829), nom. cons.
 - 2.2 Order *Asterales* Link (1829)
 - 01 Family *Alseuosmiaceae* Airy Shaw (1965)
 - 02 Family *Argophyllaceae* Takht. (1987)
 - 03 Family *Asteraceae* Bercht. & J. Presl (1820), nom. cons.
 - 04 Family *Calyceraceae* R. Br. ex Rich. (1820), nom. cons.
 - 05 Family *Campanulaceae* Juss. (1789), nom. cons.
 - 06 Family *Goodeniaceae* R. Br. (1810), nom. cons.
 - 07 Family *Menyanthaceae* Dumort. (1829), nom. cons.
 - 08 Family *Pentaphragmataceae* J. Agardh (1858), nom. cons.
 - 09 Family *Phellinaceae* Takht. (1967)
 - 10 Family *Rousseaceae* DC. (1839)
 - 11 Family *Stylidiaceae* R. Br. (1810), nom. cons.
 - 2.3.1.1.1 Order *Dipsacales* Juss. ex Bercht. & J. Presl (1820)
 - 1 Family *Adoxaceae* E. Mey. (1839), nom. cons.
 - 2 Family *Caprifoliaceae* Juss. (1789), nom. cons.
 - 2.3.1.1.2 Order *Paracryphiales* Takht. ex Reveal (1992)
 - 1 Family *Paracryphiaceae* Airy Shaw (1965)
 - 2.3.1.2 Order *Apiales* Nakai (1930)
 - 1 Family *Apiaceae* Lindl. (1836), nom. cons.
 - 2 Family *Araliaceae* Juss. (1789), nom. cons.
 - 3 Family *Griselinaceae* J.R. Forst. & G. Forst. ex A. Cunn. (1839)
 - 4 Family *Myodocarpaceae* Doweld (2001)
 - 5 Family *Pennantiaceae* J. Agardh (1858)
 - 6 Family *Pittosporaceae* R. Br. (1814), nom. cons.
 - 7 Family *Torricelliaceae* Hu (1934)
 - 2.3.2 Order *Bruniales* Dumort. (1829)
 - 1 Family *Bruniaceae* R. Br. ex DC. (1825), nom. cons.
 - 2 Family *Columelliaceae* D. Don (1828), nom. cons.
 - 3 Family *Apodanthaceae* Takhtajan, *incertae sedis*
 - 4 Family *Cynomoriaceae* Endl. ex Lindl. (1833), nom. cons., *incertae sedis*
 - 5 Genus *Gumillea* Ruiz & Pav., *incertae sedis*

Source: The Angiosperm Phylogeny Group III (comps.) 2009. An update of the Angiosperm Phylogeny Group classification for the orders and families of flowering plants: APG III. *Bot. J. Linn. Soc.* **161** (2), Oct 2009: 105-121, 1 fig..